

# FORMA 800 SINGLE-SIDED WITH PRIME FIRE 590 AUTOMATIC BEV® BURNER

### Net Zero fireplace with the BEV Technology®

#### AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

#### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

#### **PROTECTIVE DEFLECTOR**

With the attached deflector you can cover the fireplace housing with combustible materials.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



#### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

#### BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

INTEGRATED CONTROL PANEL The burner has an intuitive control panel

and inlet for automatic refuelling.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s permutation or use or sale. The images are indicative only.



### Forma 800 Single-Sided

Burner model	Prime Fire 590 (BEV Technology®)
Fuel tank capacity	3.1 L
Maximum burn time	6 hours
Maximum heat output	3.1 kW
Minimum room cubature	31 m <sup>3</sup>
Flame height regulation	2 stages
Weight	61.0 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**



#### OPTIONAL DECORATIVE TRAY

Decorative tray with 1 ceramic log or white stones installed on the burner, behind the fireline.





Manufactured to UL standards

	[5.1] [5.1] [27,1] [22,5] [688 [		
[22,2] 564 [32,1] 816 [35,4] 900	[10] 254.4 [17] 431	- - Framing di	 mensions
		Width	816 mm
		Depth	406 mm
[40] 1016		Height	508 mm

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s persoducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



## FORMA 1000 SINGLE-SIDED WITH PRIME FIRE 790 AUTOMATIC BEV® BURNER

### Net Zero fireplace with the BEV Technology<sup>®</sup>

#### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

#### **FLAME CONTROL**

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

#### **PROTECTIVE DEFLECTOR**

With the attached deflector you can cover the fireplace housing with combustible materials.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



#### **REMOTE CONTROL**

**BEST BUILD QUALITY** 

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

#### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



## Forma 1000 Single-Sided

Burner model	Prime Fire 790 (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m <sup>3</sup>
Flame height regulation	2 stages
Weight	65.2 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**



#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 1 ceramic log or white stones installed on the burner, behind the fireline.





Manufactured to UL standards

		1 T
: : : : 	255 [10,1"] 431 [17"]	
 	Framing	dimensions
	Width	1120 mm
•	Depth	
 1216 [47,9"]	Height	710 mm

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.,'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s persoducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### FORMA 1200 SINGLE-SIDED WITH PRIME FIRE 990+ AUTOMATIC ETHANOL BURNER

### Net Zero fireplace with the BEV Technology®

### 🗱 BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### SINGLE-SIDED FIREPLACE

The classic fireplace design that delivers the most elegant and framed view of the flame.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

#### AUTOMATIC PRIME FIRE BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

#### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

#### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



## Forma 1200 Single-Sided

Burner model	Prime Fire 990+ (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	10 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	76.1 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**



included

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.





				-		
				•••		
		••	688 [27,1"]	406 [16"]	508 [20"] 780 [30,7"]	
	л		130 [5,1"]		<u> </u>	
-	964 [38"]		130	255 [10,1"]		
	1219 [48"]			431 [17"]		
	1303 [51,3"]				Framing	g dimensions
3 6					Width	1320 mm
		•			Depth	450 mm
	1419 [55,9"]				Height	710 mm

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s persuad to resulting for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.



# FORMA 1500 SINGLE-SIDED WITH PRIME FIRE 1190 AUTOMATIC BEV® BURNER

### Net Zero fireplace with the BEV Technology®

#### AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

#### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

#### **PROTECTIVE DEFLECTOR**

With the attached deflector you can cover the fireplace housing with combustible materials.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



#### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

#### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

#### BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s permutation or use or sale. The images are indicative only.



## Forma 1500 Single-Sided


Burner model	Prime Fire 1190 (BEV Technology®)
Fuel tank capacity	6.8 L
Maximum burn time	11 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m <sup>3</sup>
Flame height regulation	2 stages
Weight	89.8 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**




#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.





Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s personation or use of super conduct.



### FORMA 1800 SINGLE-SIDED WITH FLA3 1490 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

### BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### SINGLE-SIDED FIRE VIEW

The classic fireplace design that delivers the most elegant panoramic view of the flame.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

#### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

#### AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

#### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



## Forma 1800 Single-Sided

FLA3 1490 (BEV Technology®)
8.6 L
11 hours
13.0 kW
130 m <sup>3</sup>
6 stages
105.3 kg
bioethanol 95 - 96,6%
not required
1 space volume per hour
230 V
black powder coating
steel, galvanized steel, toughened glass



#### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone!




#### OPTIONAL DECORATIVE TRAY

Decorative tray with 3 ceramic logs or white stones installed on the burner, behind the fireline.





Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s permutation or use of sale. The images are indicative only.



# FORMA 2300 SINGLE-SIDED WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

### BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### SINGLE-SIDED FIRE VIEW

The classic fireplace design that delivers the most elegant panoramic view of the flame.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

#### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

#### AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

#### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (callectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s perducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 2300 Single-Sided

Burner model	FLA3 1990 (BEV Technology®)
Fuel tank capacity	11.7 L
Maximum burn time	12 hours
Maximum heat output	18.0 kW
Minimum room cubature	180 m <sup>3</sup>
Flame height regulation	6 stages
Weight	139.7 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only








#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 4 ceramic logs or white stones installed on the burner, behind the fireline.





Manufactured to UL standards

		 	: : : :		50 [2"]
······	•	 			••••
••					
				[1'/22] 889	[16"]
••				88	780
		 	····		
		 <u> </u>	<u> </u>	130 [5,1"]	
<b>.</b>		 		<u>ā'</u>	
	•	 1964 [77,3"]		25	5 [10"]
		 2337 [92"]		43	[17"]
		 2421 [95,3"]		Evenei	ng dimensions
		 		Frami	ng aimensions
				Width	2440 mm
			•		
					450
			•	Depth	450 mm

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s persoducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# FORMA 2700 SINGLE-SIDED WITH FLA3 2490 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

### BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### The classic fireplace design that delivers the

most elegant panoramic view of the flame.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

SINGLE-SIDED FIRE VIEW

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

#### AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

#### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.


All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Forma 2700 Single-Sided

FLA3 2490 (BEV Technology®)
14.8 L
12 hours
22.5 kW
225 m <sup>3</sup>
6 stages
203.8 kg
bioethanol 95 - 96,6%
not required
1 space volume per hour
230 V
black powder coating
steel, galvanized steel, toughened glass
for indoor use only






Control the fire with your smartphone!




#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 5 ceramic logs or white stones installed on the burner, behind the fireline.





Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all presons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s permutation or use or sole. The images are indicative only.